Review Article

Mental Health and Loneliness: A Comparative Study of Glocalizing View of Gender Based Violence in Awka Town

Formatted: Right

ABSTRACT

The study considers the comparativeness of mental health and loneliness on gender based violence. 149 married persons serve as participants. Convenient sampling technique was used for participant selection. They comprise of 71 (52.3%) male and 78 (47.7%) female. Their age ranged from 23-53 years with mean age of 39.66 and standard deviation of 8.76. Conflict Tactics Scales by Straus et al.[11(1979), Short Warwick–Edinburgh Mental Well-Being Scale and UCLA Loneliness Scale by [21(Russell, 1996)] were employed for data generation. 2×2 Factorial Design and Two-way Analysis of Variance (ANOVA) statistic were used to analyze the data. The first hypothesis which stated that there will be no significant difference between those with positive mental health and those with negative mental health on gender based violence among married persons and second hypothesis which stated that there will be no significant difference between those with positive loneliness and those with negative loneliness on gender based violence among married persons were confirmed at p>.05. The third hypothesis which stated that there will be no significant interaction between mental health, loneliness and gender based violence among married persons was confirmed at p>.05. The study established suggestions.

Formatted: Font: Not Italic

Comment [P1]:

Sampling technique is not clear, it mentioned as Convenient sampling technique in the abstract, but mentioned as Systematic sampling technique in the Method part.

This should be checked.

Formatted: Font: Not Italic
Formatted: Font: Not Italic
Formatted: Font: Not Italic

Keywords: Mental Health, Loneliness, Gender based Violence, Glocalization.

Formatted: Font: Italic

1. INTRODUCTION

In Africa everyday life is 'glocal' in the sense that there is dialectic relationships between global influences and local life whiles the representations of 'glocal' lives are highly class-based, racialised and gendered. As such, status, intelligence and success are strongly associated with being a global citizen, while poverty, misery and narrow-mindedness are features used to characterise the locals' this fosters gender based violence which is pervasive across all glocalisedcultures, regions and diverse social categories around the globe 3. 4](United Nation, 2006;Ley, 2004). And its manifestations differ and vary in levels and intensity according to the socio-cultural and institutional factors that triggers it.

guidelines specified by the ARJASS for writing the background section. You need to be aware of "Plagiarism' and I advise you to review manuscript relating the research area, and then give a writing based on these of your own. Simply copying the literature and pasting as it is in the manuscript is unethical. You must acknowledge the contribution by putting appropriate citation and references.

Comment [P2]: 1. I suggest for following

Comment [P3]: There is plagiarism.

Comment [P4]: There is plagiarism.

Comment [P5]: There is plagiarism.

Comment [P6]: There is plagiarism.

Comment [P7]: There is plagiarism.

In Nigeria, the context of gender based violence is such that intertwined direct, structural and cultural typologies of violence, with factors responsible for the violence closely knitted together in a way that explains complex conflict dynamics among those in intimate relationship. While frustrations occasioned by factors relating to human insecurity and obnoxious policies, among others, largely define gender based violence, that results in, or is likely to, result in physical, sexual, or psychological harm to women or men including threats of such acts, coercion or arbitrary deprivation of liberty whether occurring in public or private life. McCloskey's [5](2016) that assert gender based violence as: "abuse of groups targeted because of their gender or gender roles and is relegated to a lower position of social status or power". Among the various forms of violence against women are battering by spouse, rape, verbal assault, female genital mutilation, incest, child marriage, forced marriage, denial of women work opportunity, denial of women's right to own property, denial of girl child right to choose her husband, denial of girl child access to education, child labour, girl child trafficking and using girl child for commercial sex purposes, among others.

Although, women can also be involved in violent behaviour, and abuse also exists in some same-sex relationships, the vast majority of partner abuse is perpetrated by men against their female partners.

According to Velásquez[6](2003), every kind of abuse is frequently perpetrated, which turns gender based violence into a social problem. It generates physical (bruising, injuries, traumas, etc.), psychological (humiliation, low self-esteem, feelings of inferiority, among others), economic and social consequences for the victims. For instance, in Nigerian societies appeared to largely condone wife beating, where they believe that a husband's chastisement of his wife by beating her is embedded in the culture [7, 8](Hika, Okonkwo and Adogu, 2002; Okemgbo, Omideyi and Odimegwu, 2002). At times, the perpetrators of such direct violence attempt to justify their actions on deconstructed religious sentiments, customs, traditions and cultural beliefs, while others anchor their justifications on conditions of human insecurity such as joblessness, hunger, environmental problems and so on [9]. (Irene, 2016). Moreover, the scourge of gender based violence is no doubt increasingly alarming [10]. (Jekayinka, 2010);

Comment [P9]: There is plagiarism.

Comment [P10]: There is plagiarism.

Comment [P11]: There is plagiarism.

2. FORMS OF GENDER BASED VIOLENCE

2.1 Sexual Coercion:

Emerges as a defining feature of the female experience for many women and girls. Forced sexual contact can take place at any time in a woman's life and it includes a range of behaviours from forcible rape to non-physical forms of pressure that compel the girls or women to engage in sex against their will. The touchstone of coercion is that the woman lacks choices and faces severe physical or social consequences if she resists sexual advances. Studies indicate that the majority of non-consensual sex takes place amongst individuals known to each other, spouses, family, members, courtship, partners or acquaintance.

Formatted: Font: Not Italic

Comment [P12]: There is plagiarism.

2.2 Socio-Economic Violence

This is the discrimination and/or denial of opportunities, denial of access to education, health assistance or remunerated employment; denial of property rights. It may be by framily members, society, institutions and organizations, government actors.

Formatted: Font: Not Italic

Comment [P13]: There is plagiarism.

2.3 Physical Violence:

This refers tobeating, biting, kicking, restraining, pulling hair, choking, throwing objects and using weapons among genders. Although same-sex physical violence (even including stabbing) can be common among adolescents, the unequal power relationship results in most physical violence being directed at girls by boys.

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Comment [P14]: There is plagiarism.

2.4 Harmful Traditional Practices:

These include practices such as Female Genital Mmutilation (FGM)which involves the cutting of genital organs for non-medical reasons, usually done at a young age; ranges from partial to total cutting, removal of genitals, stitching whether for cultural or other non-therapeutic reasons; often undergone several times during life-time, like after delivery or if a girl/woman has been victim of sexual assault and early marriage practices that demeans the

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic, Font color: Black

Formatted: Font: Not Italic

Comment [P15]: There is plagiarism.

female gender[11]. (United Nations, 2009). This is carried out by Traditional practitioners and supported, condoned, and assisted by families, religious groups, entire communities and some States [12]. (Zinn, H. 2006).

Comment [P16]: There is plagiarism.

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic, Font color: Black

Comment [P17]: There is plagiarism.

Comment [P18]: There is plagiarism.

Comment [P19]: There is plagiarism.

Comment [P20]: There is plagiarism.

Comment [P21]: There is plagiarism.

Comment [P22]: There is plagiarism.

Comment [P23]: There is plagiarism.

2.5 Emotional AndPsychological Violence:

This is the aAbuse/hHumiliation which is nNon-sexual verbal abuse that is insulting, degrading, demeaning; compelling the victim/survivor to engage in humiliating acts, whether in public or private; denying basic expenses for family survival. This may be carried out by anyone in a position of power and control; mostly by spouses, intimate partners or family members in a position of authority.

2.6 Glocalization and Gender Based Violence

The concept of globalisation helps with the act of rethinking macro-macro relationships, glocalisation helped 'to alleviate the conceptual difficulties of macro-micro relationships' to illuminate that 'many of the social categories and practices assume a local flavour or character despite the fact that these products were invented elsewhere' [13]. (Khondker 2004). Glocalisation illustrates a twin process of macro-localisation and micro-globalisation, where macro-glocalisation involves expanding the boundaries of locality as well as making some local ideas, practices and institutions global (for example, religious or ethnic revivalist movements). Micro-globalisation involves incorporating certain global processes into the local setting (for example, feminist and ecological movements, as well as new production techniques)[13].(Khondker 2004). In a more dystopian tone, Bauman [14](1998) denotes glocalisation as the reallocation of poverty and stigma from above, and as a product ofglobalisation, where the privileged are mobile but the poor are trapped in local poverty.

Glocalization can also destabilize local gender orders. Disruption of male authority within the culture may generate a backlash of masculine fundamentalism that tries to re-establish traditional gender hierarchies [15]. (Connell 2000). These processes play a role in the gender based violence. Gender based violence has never been limited to the poor or underprivileged. Well-publicized media coverage of celebrity violence to partners highlights what the anti violence movement has known for sometime, that rich, famous or powerful men can be just as abusive and prone to violence as people who are poor. Individuals from all socio-economic groups, religions and cultures suffer gender based violence although the experience of abuse is often prolonged if the vulnerable to abuser entrapment and with fewer options to support themselves outside an abusive relationship [16, 17]. (Dominy & Radford, 1996; Mooney 2000).

3. MENTAL HEALTH AND LONELINESS

3.1 Mental Health

Mental health is defined by the World Health Organization (WHO) [18], 2002) as: a state of well-being in which the individual realises his or her own abilities, can cope with the normal stresses of life, can work productively and fruitfully, and is able to make a contribution to his or her community. More so, the Concepts of mental health include subjective well-being, perceived self-efficacy, autonomy, competence, intergenerational dependence and recognition of the ability to realize one's intellectual and emotional potential. It has also been defined as a state of well-being whereby individuals recognize their abilities, are able to cope

Comment [P24]: There is plagiarism.

with the normal stresses of life, work productively and fruitfully, and make a contribution to their communities. Mental health is about enhancing competencies of individuals and communities and enabling them to achieve their self-determined goals [18].(WHO, 2002).

Comment [P25]: There is plagiarism.

Evidence has shown that at least 60% of women globally are exposed to mental health problems related to GBV than their male counter parts 19, 20]. (UNFPA, 2006; UNAIDS, 2010). Such exposure to mental health problems is contrary to the definition of human rights which stipulates, what universal respect for, and observance of human rights and the fundamental freedoms for all without discrimination as to race, sex, language, or religion 21, 22] (UN General Assembly, 2013; Human Rights Bulletin Number 68, 2013). Research has noted that GBV which involves repeated abuse during a period of time often leads to adverse health effects [23, 24, 25] (Campbell, 2002; Ellsberg, Jansen, Heise, Watts & Garcia Moreno, 2008; Krantz & Ostergren, 2000). These health effects may be physical (injury, gastro-intestinal disorders, common symptoms etc.) and psychological (depression, PTSD, anxiety, suicidality etc.). However, it has been shown that such adverse consequences may have long-lasting effects and persist long time after the abuse has stopped, resulting in chronic poor health and poor quality of life 23]. (Campbell, 2002).

Even though both men and women are exposed to GBV, findings show that women display a wide range of adverse health effects compared to men, these are highly associated with GBV for women [26, 27](Afifi, MacMillan, Cox, Asmundson, Stein et al., 2009; Ansara & Hindin,

2011). For example, GBV may have quite severe consequences for women's physical, sexual, reproductive and mental health [23, 28, 29]. (Campbell, 2002; Garcia Moreno, Jansen,

Ellsberg, Heise *et al*, 2006; Umubyeyi, Mogren, Ntaganira and Krantz, 2014). GBV is also associated with HIV infection and other sexually transmitted infections for women [30, 31](Li, Marshall, Rees, Nunez, Ezeanolue, *et al.*, 2014; World Health Organization, 2013). A review study has presented a difference in GBV prevalence across nations. Regardless of the difference in its magnitude, GBV is associated with a variety of mental disorders for women including depression, PTSD, anxiety, self-harm, and sleep-disorders as women experience more chronic and severe exposure to GBV compared to men [32, 33](Dillon, Hussain,

Loxton & Rahman, 2013; Romito & Grassi, 2007).

Comment [P26]: There is plagiarism.

Comment [P27]: There is plagiarism.

Comment [P28]: There is plagiarism.

Comment [P29]: There is plagiarism.

Comment [P30]: There is plagiarism.

Comment [P31]: There is plagiarism.

While the impact of GBV on health has been investigated mostly in women and in high income countries, there are relatively few studies on GBV and health effects which have included both sexes, interestingly the studies finding shows that both men and women suffer from increased risk of depression, suicide attempts, HIV, PTSD and chronic diseases such as stroke and asthma Breiding, Black & Ryan, 2008; [23, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44 Campbell, 2002; Coker, Smith, Bethea, King et al., 2000; Devries, Mak, Bacchus, Child, Falder et al., 2013; [32] Dillon, Hussain, Loxton & Rahman, 2013; Dunkle, Jewkes, Brown, Gray, et al., 2004; Foshee, Benefield, Ennett, Bauman et al., 2004; Jonsson, Bohman, Hjern, von Knorring et al. 2011; Mahenge, Likindikoki, Stockl & Mbwambo, 2013; Peltzer, Pengpid, McFarlane & Banyini, 2013; Resnick, Acierno & Kilpatrick, 1997; Sipsma, Ofori-Atta, Canavan, Osci-Akoto et al., 2013; Vizcarra, Hassan, Hunter, Munoz et al., 2004). Further, studies including men and women report that men exposed to IPV are more likely to experience more disruptive behaviours and substance abuse disorders while women are more likely to experience mood disorders and anxiety [26]. (Afifi, MacMillan, Cox, Asmundson, Stein et al., 2009). In another study including men only, GBV was shown to be associated with depressive symptoms [45](Reid, Bonomi, Rivara, Anderson et al., 2008). Therefore, more studies on men are needed to develop understanding about men's exposure to GBV, its risk factors and health effects, and theories should be developed to

Comment [P32]: There is plagiarism.

improve understanding of partner violence directed at men[36].(Devries, Mak, Bacchus, Child, Falder et al., 2013).

Comment [P33]: There is plagiarism.

3.2. Loneliness

Loneliness is defined as an emotional distress experience that goes along with the perception of unsatisfying social relationships. Perceived unsatisfying relationships, thus, are independent of the quantity of social interactions, but are caused by the felt sense of social isolation and unsatisfied needfor affection in current relationships and a low quantity and diminished meaningof social contacts has also been related to loneliness [46, 47] (Cacioppo, Capitanio & Cacioppo, 2014; Hawkley & Cacioppo, 2010). Furthermore, loneliness involves a person's perception, their experiences, and their evaluation of their isolation. Loneliness is known to cause multiple health problems such as an increase in depression, sleeping problems, and a decrease or increase in appetite [48]. (Gierveld, 1998). Loneliness leads to many negative consequences such as "depression, suicide, hostility, alcoholism, poor self-concept, and psychosomatic illnesses" [49]. (Rokach & Neto, 2000).

Since loneliness is based on one's perception, certain individuals might view others as being lonely even though this may not be the case. For example, extroverts and introverts have different social needs and therefore different perceptions of loneliness. Extraverts are social, easy going, and are very people-oriented [50].(Saklofske & Yackulic, 1989). They are known to be active and deliberate in seeking social contacts and situations as they feel they need to have people to talk to and therefore dislike being alone and even reading or studying alone [51]. (Saklofske, Yackulic, & Kelly, 1986). Extraverts have lower levels of cortical arousal and therefore have a great need for simulation and therefore are more social and increase their interpersonal contact which reduces the likelihood of an extravert to experience loneliness. An extravert may experience loneliness when they are given limitations on their opportunity to interact with others on a regular basis. In general, if limitations are not placed, extraverts have been found to experience less feelings of loneliness than introverts [50]. (Saklofske & Yackulic, 1989). Loneliness has also been linked to gender based violence. People who activolently towards others tend be rejected by partners because they often have distorted and deficient social information-processing mechanisms. For example, violent partner tend to become angry in situations where non-violent partner perceive the situation differently and don't become angry. This can also be due to having hostile attributional biases and cue-detection deficits [52]. (Kassinove, 1995).

Theoretically, everything we do has been learned. Much learning in humans, results from observing the behaviour of others and from imagining the consequences of our own actions. Often children copy the behaviour they have observed from others. Hence, Social learning theory by Bandura [53] (1986) served as an anchor theory for the study, because it explains violence as a coping mechanism learned through observation or experience. Interestingly, modelling is a contributory factor to learning violent behaviour as well [54] (Gentlewarrier, 2010). However, this theory maintains that the likelihood of repeated abusive behaviour is contingent upon reinforcement. Intergenerational transmission of violence is one component of social learning theory (Coleman, 2004). This aspect maintains that children who witness or experience violence in their family of origin are more likely to integrate violence into their behavioural repertoire. Research has been done linking exposure to violence during childhood and the experience of violence as an adult in an intimate relationship. More so, Lie and Gentlewarrier [55] (2011) noted that if people witnessed violent between members of their family of origin they are more likely to have been a victim of violentwith a current intimate partner. Hence, this current study wishes the achieve the purpose whether mental health and

Comment [P34]: There is plagiarism.

Comment [P35]: There is plagiarism.

Comment [P36]: There is plagiarism.

Comment [P37]: There is plagiarism.

Comment [P38]: There is plagiarism.

Comment [P39]: There is plagiarism.

Comment [P40]: There is plagiarism.

Comment [P41]: There is plagiarism.

loneliness will have comparative significant on gender based violence in glocalizing context in Awka metropolis. In order to get answer to the aforementioned purpose the following hypotheses will guide the study.

4. HYPOTHESES

- 1. There will be no significant difference between those with positive mental health and those with negative mental health on gender based violence among married persons in Awka Town.
- 2. There will be no significant difference between those with positive loneliness and those with negative loneliness on gender based violence among married persons in Awka Town.
- 3. There will be no significant interaction between mental health, loneliness and gender based violence among married persons in Awka Town.

5. METHODOLOGY

5.1 Participants

A total number of one hundred and forty-nine (149) married persons in AwkaTown; served as participant for the study. They comprise of 71 (52.3%) male and 78 (47.7%) female. Their age ranged from 23 to 53 years and their mean age was 39.66 with standard deviation of 8.76. Systematic sampling technique was used in the study to select the participants. This is based on the premisesthat the sample is chosen randomly by using a fixed interval. This interval is calculated by dividing population size by the targeted sample size.

5.2 Instruments

The first instrument was Conflict Tactics Scales (CTS) developed in 1979 [1](Straus et al. 1979). This measure consists of 19 items grouped into three scales: (1) Reasoning (3 items), (2) Verbal Aggression (7 items), and (3) Physical Assault (9 items), in which each item is asked twice, once about the respondent's behaviour toward a target, and then about the target's behaviour toward the respondent. The scale has seven point rating format: 0 = Never; 1 = Once; 2 = Twice; 3 = 3-5 times; 4 = 6-10 times; 5 = 11-20 times; 6 = More than. The internal consistency reliability of the CTS2 scales ranges from 0.79 to 0.95 (Straus et al. 1996). According to Straus[56](2007), alpha coefficients of reliability for the CTS2, reported in 41 articles, ranged from 0.34 to 0.94, with a mean of 0.77. Conflict Tactics Scales (CTS2) was validated for the Portuguese population by Paiva and Figueiredo [57] (2006) using a sample of 551 university students. The five scales for perpetration and victimization had internal consistency rates ranging from 0.50 to 0.78[57].(Paiva and Figueiredo 2006). Psychometric findings have been reported for the version of the CTS2 [57, 58] (e.g., Paiva and Figueiredo 2006; Vega and O'Leary 2007); however, there is still insufficient data for examining the psychometric characteristics of the CTS2-SP beyond that performed by the authors. The second was Short Warwick-Edinburgh Mental Well-Being Scale: 7-item scale. The SWEMWBS was constructed to assess aspects of mental well-being as a unitary construct. With 5-point rating format: None of the time=1; Rarely=2; Some of the time=3; Often=4; All of the time=5. The seven items in the SWEMWBS Cronbach's alpha ranging from .64 to .78 (Norway), and from .67 to .82 (Sweden). The third was UCLA Loneliness Scale (Version 3)by[2].(Russell, 1996). The UCLA Loneliness Scale (Version 3) consists of 20 statements assess an individuals' unique experience of loneliness. The UCLA Loneliness Scale (Version 3) is a revised version of the initial version of the UCLA Loneliness Scale.

Comment [P42]: In 'abstract' part the sampling method mentioned is "Convenient sampling' whereas it is mentioned as "systematic sampling method" under the "Participants" heading. Please use terms consistently.

Comment [P43]: There is plagiarism.

Comment [P44]: There is plagiarism.

Comment [P45]: There is plagiarism.

One reason for the revision is that the original UCLA Loneliness scale only contained items that were worded with a negative connotation. Version 3 contains 10 negatively worded and 10 positively worded items. Participants are asked to rate the statements by rating them using 1 to 4 (1- Never, 2 – Rarely, 3- Sometimes, 4- Always). Higher scores indicate a greater degree of loneliness. The loneliness scale is said to be a reliable instrument and has a coefficient alpha that ranges from .89 to .94 and test-retest reliability of r=.73 over a 1 year period. Significant correlations with other measures of loneliness were used as a way to measure convergent validity. The UCLA Loneliness Scale (Version 3) is significantly correlated (.65) with the NYU Loneliness Scale and with the Differential Loneliness Scale (.72).

Comment [P46]: There is plagiarism.

5.3 Procedure

The participants were drawnfrom workplacesthat are within Awka Town. And the researchers briefed them about the objectives of the study and assured them of confidentiality of the information that they are going to provide in the research. To gather research data in this study, questionnaire was preferred due to its ability to collect data from respondents within a limited time frame. Informed consent, of all the participants was sought after which the questionnaires along with demographic sheets were distributed to the participants. The overall properly answered questionnaires were 149 copies which constituted the participants of this study.

Comment [P47]: There is plagiarism.

5.4 Design and Statistics

The study adopted Two byTwo (2×2) Factorial Design was adopted (Because the study is geared towards comparison): Two-way Analysis of Variance (ANOVA) statistic was used to analyze the data.

6. RESULTS

Based on the above tables, the corrected model accounted for .012% variance in gender based violence, with $(F_{3,145}) = .59$, p > .05; R = .012, R^2 adjusted = .008. The first hypothesis which stated there will be no significant difference between those with positive mental health and those with negative mental health on gender based violence among married persons in Awkatown was confirmed at $(F_{1,145})=.41$, p>.05. Also the mean differences and standard deviation within the mental health: M=74.45, SD= 7.02 (positive) and M=73.47, SD=6.45 (negative), N=149. This means that persons with positive mental health experiencegender based violenceless than persons with negative mental health experience at 62%. The second hypothesis which stated that there will be no significant difference between those with positive loneliness and those with negative loneliness on gender based violence among married persons in Awkatown was confirmed at $(F_{1,145})$ =.66, p>.05. Also the mean differences and standard deviation within the loneliness: M=74.45, SD= 7.02 (positive) and M=73.47, SD=6.45 (negative), N=149. This means that persons with positive lonelinessexperiencegender based violenceless than those with negative loneliness experienceat 62%. The third hypothesis which stated that there will be no significant interaction between mental health, loneliness and gender based violence among married persons in Awkatown was confirmed at $(F_{1,145})=.40$, p>.05.

The results were presented in the order in which the research hypotheses were tested.

Table 1: Summary of Descriptive Statistics and Two-Way Analysis of Variance of the Study Variables

Loneliness	Mean	Std. D	N	
Positive	74.45	7.02	62	
Negative	73.47	6.45	87	
Total	73.88	6.69	149	
Loneliness	Mean	Std. D		N
Positive	74.45	7.02	62	
Negative	73.47	6.45	87	
Total	73.88	6.69	149	

Table 2:.....?

	Type III Sum		Mean			
Source	of Squares	df	Square	F	Sig.	
Corrected Model	79.70	3	26.57	.59	.623	
MentalHealth	18.46	1	18.46	.41	.523	
Loneliness	29.86	1	29.86	.66	.417	
MentalHealth * Loneliness	17.91	1	17.91	.40	.530	
Error	6542.13	145	45.12			
Total	819884.00	149				

Dependent Variable; Gender Based Violence. a. R Squared = .012 (Adjusted R Squared = -.008).

7. DISCUSSION

Based on the results, the first hypothesis which stated there will be no significant difference between those with positive mental health and those with negative mental health on gender based violence among married persons in Awka town was confirmed. This implies that those with negative mental health experience more gender based violence than persons with positive mental health. This perhaps may be because the thought patterns and there behavioural disposition is usually fault in their relationship. The thought could be inappropriate reasoning about sexual and physical behaviour which now make them perceive their partner as either inferior or overbearing this thereby prompted unwholesome reaction from their partner and engender them into major psychological problems faced by the victims of violencesuchas poor self-concept, low self-esteem, feelings of powerlessness, helplessness, worthlessness, hopelessness, sleep problems, anhedonia, post-traumatic stress disorder and depression.

Also, the second hypothesiswhich stated that there will be no significant difference between those with positive loneliness and those with negative loneliness on gender based violence among married persons in Awkatown was confirmed. This implies that persons with negative loneliness experience are involved in gender based violence than persons with positive loneliness experience. This may because those that experience gender based violence involves innegative perception and interpretation of their life experiences which usually push them into isolating lifestyle and thereby resurrect multiple health problems such as an increase in depression, sleeping problems, decrease or increase in appetite, suicide, hostility, alcoholism, poor self-concept, and psychosomatic illnesses" [48, 49].(Gierveld, 1998; Rokach et al.,, 2000). More so, the third hypothesis which stated that there will be no significant interaction between mental health, loneliness and gender based violence among

Comment [P48]: This should be checked

Formatted: Font: Not Bold, Italic
Formatted: Font: Italic

Comment [P49]: There is plagiarism.

Comment [P50]: There is plagiarism.

married persons in Awkatown was confirmed. This is in support of Social learning theory that explains violence as a coping mechanism learned through observation or experience [53]. (Bandura, 1986). This theory maintains that the likelihood of repeated abusive behaviour is contingent upon reinforcement.

Comment [P51]: There is plagiarism.

Suggestions

Based on the findings the following suggestions were made:

Mental Service Centre Establishment: availability and accessibility of mental service centres for victims and perpetrators of partner violence is urgently needed. This will aid in counselling the partners on the danger of violence against their partner and need for them to understand that they are two individuals with different personality, orientation and aspirations.

Workshop and Seminars: Psychologists/behavioural scientists should as a matter of urgency engage in enlightenment strategy like seminar and workshop in order to make the married persons to know the causes, consequences and strategies of overcoming gender based violence in their marriages.

Public Campaign:use of publicity in tackling social problem in our society cannot be overemphasised, hence social scientists are expected to engage in public campaign via use of social media, radio, television, market/community publicity and so on in getting the married persons and others informed about gender based violence menace. This however, will aid in reducing this menace among partners.

Religious Leaders Involvement: The religious leaders should get involved in educating married partners about gender based violence, since they are first people that some of this partners run to when this problem erupt for counsel, thus they needed also to inculcate this education to their sermons this invariably will help bring—solution to gender based violence in our society today.

Further Research: the study recommends for further studies in this area in order to know whether different interplay will emerge between mental health, loneliness and gender based violence in the future studies.

8. CONCLUSION

Poverty, misery and narrow-mindedness are features used to characterise 'the locals' this fosters gender based violence which is pervasive across all glocalised cultures, regions and diverse social categories around the globe. And this violence usually come in various forms ranging from physical, verbal and sexual assault and this however causes a lot harms which at times result hospitalisation or death ofthe victims. Hence, the study considered the comparativeness of mental health and loneliness on gender based violence in glocalized society and the result indicated that mental health and loneliness have no comparativeness with gender based violence. Based on the result, the study make needed recommendations.

9. SUGGESTIONS

Based on the findings the following suggestions were made:

Mental Service Centre Establishment: availability and accessibility of mental service centres for victims and perpetrators of partner violence is urgently needed. This will aid in counselling the partners on the danger of violence against their partner and need for them to understand that they are two individuals with different personality, orientation and aspirations.

Formatted: Font: (Default) Times New Roman, 12 pt, Bold, Font color: Black

Formatted: Font: (Default) Times New Roman, 12 pt, Italic, Font color: Black

Workshop and Seminars: Psychologists/behavioural scientists should as a matter of urgency engage in enlightenment strategy like seminar and workshop in order to make the married persons to know the causes, consequences and strategies of overcoming gender based violence in their marriages.

Formatted: Font: (Default) Times New Roman, 12 pt, Italic, Font color: Black

Public Campaign: use of publicity in tackling social problem in our society cannot be overemphasised, hence social scientists are expected to engage in public campaign via use of social media, radio, television, market/community publicity and so on in getting the married persons and others informed about gender based violence menace. This however, will aid in reducing this menace among partners.

Formatted: Font: (Default) Times New Roman, 12 pt, Italic, Font color: Black

Religious Leaders Involvement: The religious leaders should get involved in educating married partners about gender based violence, since they are first people that some of this partners run to when this problem erupt for counsel, thus they needed also to inculcate this education to their sermons this invariably will help bring solution to gender based violence in our society today.

Formatted: Font: (Default) Times New Roman, 12 pt, Italic, Font color: Black

<u>Further Research</u>: the study recommends for further studies in this area in order to know whether different interplay will emerge between mental health, loneliness and gender based violence in the future studies.

Formatted: Font: (Default) Times New Roman, 12 pt, Italic, Font color: Black

COMPETING INTERESTS

Formatted: Font: (Default) Times New Roman, 12 pt, Bold, Font color: Black

Formatted: Font: Bold

REFERENCES

correlates of intimate partner violence in marital relationships in a nationally representative sample of males and females. Journal of Interpersonal Violence. 2009; 24: 1398-1417.

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

27. AnsaraD-L₂., & Hindin M-J.(2011). Psychosocial consequences of intimate partner violence

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

for women and men in Canada. Journal of Interpersonal Violence. 2011; 26: 1628-1645.

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

23. Campbell J-C. (2002). Health consequences of intimate partner violence. Lancet. 2002; 359: 1331-

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

<u>14.</u> Bauman, Z. <u>(1998).</u> On glocalization: Or globalization for some, localization for some others.

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

24 Davidia - M.I. Dlasla M.C. 0

Eleven.1998;54: 37-49.

Formatted: Font: Not Italic
Formatted: Font: Not Italic

34. Breiding M-J₂, Black M-C₂, &Ryan G-W. (2008). Prevalence and risk factors of intimate partner violence in eighteen U.S. states/territories, 2005. American Journal of Previous Medicine. 2008; 34: 112-118.

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

<u>46.</u> Cacioppo S., Capitanio J.P., &Cacioppo J.T. (2014). Toward a neurology of loneliness. *PsychologyBulletin*, *140* (6):1464-1504.

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Campbell J.C. (2002). Health consequences of intimate partner violence. *Lancet*, 359: 1331-1336.

35. Coker A₇L₂., Smith P₇H₂.,Bethea L₂., King M.R₂., &McKeown R₇E. (2000). Physical health consequences of physical and psychological intimate partner violence. Archives Family Medicine. 2000; 9: 451-457.

15. Connell, R. W. (2000). The men and the boys. Cambridge: Polity; 2000.

36. Devries K-M,-,Mak J-Y,-, Bacchus L-J,-, Child J-C,-, & Falder G. (2013). Intimate partner violenceand incident depressive symptoms and suicide attempts: a systematic review of longitudinal studies. PLoS Med. 2013;10:e1001439.

32. Dillon G..., Hussain R..., Loxton D..., & Rahman S. (2013). Mental and physical health and intimatepartner violence against women: A review of the literature. International Journal of Family Medicine. 2013; 313909.

16. DominyN. Radford L. (1996). Domestic violence in Surrey. Surrey County Council/Roehampton Institute: London; 1996.

37. Dunkle K-L₂-, Jewkes R-K₂-, Brown H-C₂-, GrayG-E₂-, & McIntryre J-A. (2004). Gender-based

violence, relationship power, and risk of HIV infection in women attending antenatal clinics in South Africa. Lancet. 2004; 363: 1415-1421.

24. Ellsberg M.; Jansen H.A.; Heise L.; Watts C.H.; & Garcia-Moreno C. (2008). Intimate partner violence and women's physical and mental health in the WHO multi-country study on women's health and domestic violence: an observational study. Lancet. 2008; 371: 1165-1172.

38. Foshee V-A, Benefield T-S, Ennett S-T, Bauman K-E, & Suchindran C. (2004).

Longitudinal predictors of serious physical and sexual dating violence victimization during adolescence. Previous Medicine. 2004, 39: 1007-1016.

28. Garcia-Moreno C₂., Jansen H-A₂., Ellsberg M₂., HeiseL₂., Watts C-H. (2006). Prevalence of

intimatepartner violence: findings from the WHO multi-country study on women's health and domestic violence. Lancet <u>.2006</u>; 368: 1260-1269.

48. Gierveld, J.-D.-J. (1998). A review of loneliness: Concept and definitions, determinants and

consequences. Reviews in Clinical Gerontology. 1998; 8(1): 73-80.

47. HawkleyL-C₂., & Cacioppo J-T. (2010). Loneliness matters: a theoretical and empirical review of consequences and mechanisms. Annual Behavioural Medicine. 2010; 40(2): 218-27.

22. Human Rights Bulletin Number 68 (2013). Gender based violence in Zimbabwe. http://www.ilo.rg/wcmsp5/groups/public/@dgreports/@gender/documents/publication wcms155763. Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic, Font color: Black

Comment [P52]: This should be checked.

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: Not Italic

Comment [P53]: This should be checked.

Formatted: Font: Not Italic
Formatted: Font: Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: Not Italic
Formatted: Font: Not Italic

Formatted: Font: Not Italic
Formatted: Font: Not Italic

Comment [P54]: This should be checked.

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

- 7. Ilika, A.L, Okonkwo P.I., & Adogu, P. (2002). "Intimate partner violence among women of childbearing age in a primary health care centre in Nigeria". African Journal of Reproductive Health. 2002; 6(3): 53-58.
- 9. Irene, O. F., (2016). Violence in Nigeria: Nature and extent. International Journal of Arts and Humanities. 2016; 5(1): 16, 72-85.
- 10. Jekayinka A- A. (2010). Types, causes and effects of gender based violence: challenges for

social studies in Nigeria. Unpublished: 2010 .-

- 39. Jonsson U₂, Bohman H₂, Hjern A₂, von Knorring L₂, & Paaren A. (2011). Intimate relationships and childbearing after adolescent depression: a population-based 15 year follow-up study. Social Psychiatry Epidemiology. 2011; 46: 711-721.
- 13. KhondkerH-H. (2004). Glocalization as globalization: Evolution of a sociological concept.

Bangladesh e-Journal of Sociology. 2004; 1, 2:1-9.

- 25. KrantzG.—, &Ostergren P.O. (2000). The association between violence victimisation and commonsymptoms in Swedish women. Journal of Epidemiology Community Health. 2000; 54: 815-821.
- 4. Ley D. (2004). Transnational spaces and everyday life. Transactions 2004; 29: 151–64.
- 30. Li Y₂, Marshall C₂M₂, Rees H₂C₂, Nunez A₂, Ezeanolue E₂E. (2014). Intimate partner violence and HIV infection among women: a systematic review and meta-analysis. Journal of International AIDS Soc. 2014; 17: 18845.
- 40. Mahenge B, Likindikoki S, StocklH, & Mbwambo J. (2013). Intimate partner violence duringpregnancy and associated mental health symptoms among pregnant women in Tanzania: a cross-sectional study. BJOG. 2013; 120: 940-946.
- 5. McCloskey L.-A. (2016). The effects of gender-based violence on women's unwanted pregnancy and abortion. The Yale Journal of Biology and Medicine. 2016; 89(2): 153-159.
- 17. Mooney J. (2000). Gender and violence. London: Routledge; 2000.
- Naz S., &Malik N.I. (2018). Domestic violence and psychological well-being of survivor women in Punjab, Pakistan. *Journal of Psychology and Clinical Psychiatry*, 9(2):184–189.
- 8. Okemgbo, C.-N., Omideyi, A.K., Odimegwu, C.-O. (2002). "Prevalence, patterns and correlates of domestic violence in selected Igbo communities of Imo State, Nigeria". African Journal of Reproductive Health. 2002; 6(2): 101-114.
- 41. Peltzer K₂-Pengpid S₂-, McFarlane J₂-, &Banyini M. (2013). Mental health consequences of

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt. Not Italic

Formatted: Font: Not Italic

Comment [P55]: This should be checked.

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New

Roman, 12 pt, Not Italic

Formatted: Font: Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt. Not Italic

Comment [P56]: This should be checked.

Formatted: Font: Not Italic

Formatted: Font: Not Italic

Formatted: Font: Not Italic

Formatted: Font: Not Italic

Comment [P57]: This should be checked

Formatted: Font: Not Italic
Formatted: Font: Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: Not Italic
Formatted: Font: Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic, Font color: Black

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

intimate partner violence in Vhembe district, South Africa. Gen Hosp Psychiatry. 2013; 35:545-550.

- 45. Reid R-J.-, Bonomi A-E.-, Rivara F-P.-, Anderson M-L.-, & Fishman P-A. (2008). Intimate partnerviolence among men prevalence, chronicity, and health effects. Am J Prev Med. 2008; 34: 478-485.
- 42. Resnick H.S₂.,AciernoR₂., &Kilpatrick D.G.(1997). Health impact of interpersonal violence.
- 2: Medical and mental health outcomes. Behav Med. 1997; 23: 65-78.
- 49. Rokach, A., & Neto, F. (2000). Coping With Loneliness In Adolescence: A Cross-Cultural Study, Social Behavior Personality: An International Journal. 2000; 28(4): 329.
- 33. RomitoP..., & Grassi M.(2007). Does violence affect one gender more than the other? The mental health impact of violence among male and female university students. Social Sciences Medicine. 2007: 65: 1222-1234.
- 2. Russell, D-W. (1996). UCLA loneliness scale (Version 3): Reliability, validity, and factor structure. Journal of Personality Assessment. 1996; 66(1): 20-40.
- 50. SaklofskeD-H₂., & Yackulic R-A. (1989). Personality predictors of loneliness. Personality and Individual Differences. 1989; 10(4):, 467-472.
- 51. Saklofske D-H₂-, Yackulic R-A₂-, & Kelly I-W. (1986). Personality and loneliness. Personality

and Individual Differences. 1986; 7(6): 899-901.

- 43. Sipsma H₂, Ofori-Atta A₂, Canavan M₂, Osei-AkotoI₂, &Udry C. (2013). Poor mental health
- in Ghana: who is at risk?BMC Public Health.2013; 13: 288.
- 1. Straus et al. (1979).....1
- 29. Umubyeyi $A_{\underline{\cdot\cdot\cdot}}$ Mogren $I_{\underline{\cdot\cdot\cdot}}$ Ntaganira $J_{\underline{\cdot\cdot\cdot}}$ &Krantz G. (2014). Intimate partner violence and its
 - contribution to mental disorders in men and women in the post genocide Rwanda: findings from a population based study. BMC Psychiatry.2014; 14: 315.
- 19. UNFPA. (2006). Report on Forms of Gender Based Violence in Sub-Saharan Africa South Africa. Geneva; 2006.
- 20. UNAIDS (2010). Global report fact sheet: Sub-Saharan Africa. Geneva: UNAIDS; 2010.-3. United Nation, 2006......?
- 11. United Nations, 2009.....?
- 21. UN General Assembly (2013). Universal Declaration of Human Rights; 2013., 10 December 1948.
- 217 A (III), available at: http://www.unhcr.org/refworld/docid/3ae6b3712c.html.

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: Not Italic
Formatted: Font: Not Italic

Comment [P58]: This should be checked.

Formatted: Font: Not Italic

Formatted: Font: Not Italic
Formatted: Font: Not Italic

Formatted: Font: Not Italic
Formatted: Font: (Default) Times New

Roman, 12 pt, Not Italic, Font color: Black Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic, Font color: Black

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic, Font color: Black

Formatted: Font: Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic, Font color: Black

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic, Font color: Black

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic, Font color: Black

Formatted: Font: Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic, Font color: Black

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic, Font color: Black

Comment [P59]: This should be checked.

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Comment [P60]: This should be checked.

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted

Formatted: Font: Not Italic

Formatted

Formatted

Formatted

<u>6.</u> Velásquez S. (2003). Violencias Cotidianas, Violencias de Género. Buenos Aires: Paidós: 2003.-

Formatted: Font: Not Italic

44. Vizcarra B₂; Hassan F₂; Hunter W:M₂; Munoz S:R₂; &Ramiro L. (2004). Partner violence as a

risk factor for mental health among women from communities in the Philippines, Egypt, Chile, and India. International journal of Control Safety Promotion. 2004; 11: 125-129.

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

18. World Health Organization (2002). Mental health policy and service guidance package: Workplacemental health policies and programmes Draft document. Geneva, WorldHealth Organization, Department of MentalHealth and Substance Dependence: 2002.

Formatted: Font: (Default) Times New Roman, 12 pt, Not Italic

Formatted: Font: Not Italic

31. World Health Organization (2013). Global and Regional estimates of violence against women: prevalence and health effects of intimate partner violence and non-sexual violence. Geneva; 2013.

Formatted: Font: Not Italic

12. Zinn, H. 2006....?

Formatted: Indent: Left: 0"

52. Kassinove, 1995....?

53. Bandura (1986)...

54. Gentlewarrier, 2010...

55. Gentlewarrier (2011)...

56. Straus (2007)....

58. Vega and O'Leary 2007...