



SDI Review Form 1.6

Journal Name:	International Journal of Medical and Pharmaceutical Case Reports
Manuscript Number:	Ms_IJMPCR_63538
Title of the Manuscript:	Light emitting diode (LED) bulb aspiration in Northern Ghana: A case report and literature review
Type of the Article	Case report

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/journal/10/editorial-policy>)

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Compulsory REVISION comments		
Minor REVISION comments	<p>This manuscript may be published with minor revision.</p> <p>1-Corection English language errors</p> <p>2- Showing the name and time of the search engine as a reference when specifying the number of cases</p>	
Optional/General comments		

PART 2:

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Are there ethical issues in this manuscript?	(If yes, Kindly please write down the ethical issues here in details)	



SDI Review Form 1.6

As per the guideline of editorial office we have followed VANCOUVER reference style for our paper.

Kindly see the following link:

<http://sciencedomain.org/archives/20>

Reviewer Details:

Name:	<i>Sukru Tas</i>
Department, University & Country	<i>Çanakkale Onsekiz Mart University, Turkey</i>